

# ZEALOT

---



ZEALOT 15

The Zealot 15 meets the evolving needs of enduro mountain bike racing. It carries armor, tools and full face helmets securely and comfortably, with full access to the interior via the backpanel. Osprey's AirScape™ backpanel, harness and hipbelt provide stable carry on rough terrain.

**OWNER'S MANUAL**

---



[ospreypacks.com](http://ospreypacks.com)

# OVERVIEW



## FEATURES

- 1 Upper side release buckle side compression straps
- 2 Dual stretch mesh side pockets
- 3 Small zippered external non-scratch pocket
- 4 LidLock™ helmet attachment
- 5 Front padded shove-it pocket and full face helmet attachment
- 6 Blinker light attachment
- 7 Backpanel access to main compartment
- 8 Removable roll-out tool pouch
- 9 Internal reservoir sleeve\*\*
- 10 Dual stretch mesh harness pockets
- 11 Dual zippered hipbelt pockets

\*\*Hydraulics™ Reservoir included in U.S. and other select markets

## FABRICS

- MAIN** 330D Nylon Dobby  
**ACCENT** 330D Nylon Dobby  
**BOTTOM** 420D Nylon Packcloth

## SPECS

SPECS	S/M	M/L
Cubic Inches	793	915
Liters	13	15
Lbs/Ounces*	1/13	1/14
Kilograms*	0.82	0.85
Inches	13h x 9w x 9d	
Centimeters	34h x 22w x 24d	

Reservoir Wt 11 oz / 0.31 kg

\*Pack weight does not include reservoir

# SUSPENSION

## 1 AIRSCAPE™ BACKPANEL

- + Ridge molded foam creates a lightweight, supportive and ventilated backpanel
- + Low-profile design keeps pack riding close for excellent balance

## 2 BIOSTRETCH™ VENTILATED HARNESS

- + EVA foam is perforated with large holes for enhanced breathability, comfort and stretch
- + Adjustable sternum strap with magnetic reservoir hose attachment

## 3 PADDED HIPWING / ERGOPULL™ WAISTSTRAP

- + Nylon waiststrap with padded, spacer mesh hipwings, hipbelt pockets and a modified ErgoPull™ providing stable carry.



# SIZING / FIT

## UNISEX TORSO SIZING

ONE SIZE



# FEATURE DETAILS



## LIDLOCK™ HELMET ATTACHMENT

Osprey's LidLock™ easily and securely carries bicycle helmets.

- A Pull the LidLock™ attachment away from the pack.
- B Twist the Lidlock™ and pass it through the bottom of the helmet vent.  
Turn the LidLock™ back to its horizontal position to lock the helmet in place.
- C Adjust the LidLock™ tension with the cord loop on the right outside panel of the pack.
- D. Reverse to remove helmet.



## BLINKER LIGHT ATTACHMENT

The blinker light attachment strap found near the base of the front panel of the pack allows for quick light attachment for high visibility in the dark.



## SLASH POCKET

A zippered top slash pocket lined with scratch free, heat embossed fabric provides ideal storage for optics and electronic devices.



## FRONT SHOVE-IT POCKET

A front panel shove-it pocket is designed to carry essential biking gear. The shove-it pocket's upper quick release compression straps secure a full face helmet while the lower quick release compression straps work in conjunction with side stretch mesh pockets for carrying elbow and shin protection.

### 1 FULL FACE HELMET ATTACHMENT

To attach a full face helmet, unclip the two upper compression straps, place the helmet face opening up on the front panel of the pack and thread the two compression straps through the helmet's face opening. Re-clip the compression strap buckles and tension them to hold the helmet securely to the pack. Clip the helmet's chinstrap through the blinker light attachment patch near the base of the front panel for extra carrying stability.

### 2 ELBOW/SHIN PROTECTION CARRY

To carry elbow and shin protection, unclip the two lower compression straps, slide protection into the stretch woven side pockets and then re-tension around items to hold securely.



## BOTTOM COMPARTMENT / ROLL-OUT TOOL POUCH

A zippered bottom compartment features a removable roll-out tool pouch providing tool organization and a clean work surface for on the trail repairs. To remove the roll-out tool pouch simply unthread the sewn-in cord loop on the tool pouch from the toggle sewn into the pack.

# FEATURE DETAILS



## MAIN COMPARTMENT BACKPANEL ACCESS

A dual zippered backpanel provides easy access to the pack's main compartment. This allows easy loading and unloading of a hydration reservoir as well as additional gear organization in an internal stretch pocket.

# HYDRATION



## SPECS

Fluid Ounces	100
Liters	3
Ounces	10.9
Kilograms	0.31
Inches	16h x 7w x 3d
Centimeters	40h x 18w x 8d

## 3L HYDRAULICS™ RESERVOIR\*

Osprey's 3L Hydraulics™ Reservoir features a contoured, HydroStatic™ backing plate to preserve pack fit and comfort and a magnetic bite valve attachment for quick connect to the sternum strap.

\*Included in U.S. and other select markets

FOR MORE INFORMATION ON OSPREY'S FULL LINE OF RESERVOIRS VISIT [OSPREYPACKS.COM](http://OSPREYPACKS.COM).



## HYDRATION

Backpanel access to the pack's main compartment provides quick access to an internal zippered hydration compartment and 3L Hydraulics™ Reservoir\*.



# PACK / RESERVOIR MAINTENANCE

Your Osprey pack is an extremely durable product and is built for years of use. However, some basic pack maintenance will help ensure your pack lasts a lifetime.

## OSPREY PACKS

### STANDARD MAINTENANCE

- + After each trip be sure to clean out your pack thoroughly.
- + Clean the zippers regularly using mild soap, warm water and soft brush. This will help keep them in proper working condition.
- + If your pack is wet, hang it to dry out of direct sunlight.
- + Loosen all the straps.
- + Wash your pack if dirt, sweat, salt and stains have worked their way into fabrics, webbing or mesh.  
(Do not immerse travel packs in water with our HighRoad™ Wheeled Chassis.)

### WASHING YOUR PACK

- A Empty the pack including any food, dirt or spilled contents.
- B If your pack has a removable harness and hipbelt, remove them from the pack body.
- C Do NOT wash your pack in a washing machine. Clean your pack and components in a bathtub or large sink using a mild detergent and warm water.
- D Agitate the pack gently. Scrub the inside and outside of all compartments including the pockets with a soft brush.
- E Clean the zippers using a mild soap, warm water and a soft brush. Flush water and soap through the buckles. Keeping dirt and debris out of the zippers and buckles will help keep them in proper working condition.
- F Drain the dirty water from the bathtub or sink and refill with cool clean non-soapy water. Rinse the pack thoroughly. Repeat this step as necessary.
- G Hang your pack to dry outside or in a well ventilated area, out of direct sunlight.

### WHEELED TRAVEL LUGGAGE

(Do not immerse travel packs in water with our HighRoad™ Wheeled Chassis.)

- A After each trip, empty the pack including any food, dirt or spilled contents.
- B Clean the zippers regularly using mild soap, warm water and soft brush. This will help keep them in proper working condition.
- C Wipe the exterior of the chassis with a damp cloth or sponge.
- D Clean the pack fabric by scrubbing stains and dirt with warm water, mild detergent and a soft brush or sponge.
- E Use a wet towel with clean non-soapy water to wipe away any soap residue on the pack.
- F Hang your pack to dry outside or in a well ventilated area, out of direct sunlight.

### RECOMMENDED CLEANING PRODUCTS

Osprey recommends Nikwax® products for pack care. Be sure to read label directions carefully before applying any product to your pack.

**Tech Wash®** - Use this with warm water for washing and cleaning your packs or luggage.

**Tent & Gear Solar Proof®** - Use this spray-on product to protect your packs from UV exposure and to improve water repellency.



For complete instructions on cleaning your Osprey pack, visit: [ospreypacks.com/PackTech/PackCare](https://ospreypacks.com/PackTech/PackCare).

## OSPREY RESERVOIRS

### RESERVOIR STANDARD MAINTENANCE

- + Our reservoir's anti-microbial formula prevents most mold and bacteria growth.
- + Rinsing out your reservoir after each use should keep your reservoir fresh, especially when using sugary drink mixes.
- + Periodically use Osprey's Hydraulics™ Cleaning Tablets to clean your reservoir.
- + Iodine or other purifying tablets used in your reservoir will not affect the quality of your reservoir. However these tablets may stain the reservoir over time.
- + Freezing your reservoir will not effect the quality of the reservoir. However if the reservoir is filled with water, be aware that water expands when it freezes and can damage your reservoir if it is overfilled.
- + Do NOT pour boiling water into the reservoir. This can damage the reservoir and will void your warranty.
- + Watch "Cleaning an Osprey Hydraulics™ Reservoir" video on Osprey Packs YouTube® page.

### CLEANING YOUR RESERVOIR (WITH OSPREY HYDRAULICS™ CLEANING TABLETS)

- A Fill reservoir with warm water. Do not use bleach or boiling water.
- B Add one cleaning tablet to reservoir and close the cap.
- C Let tablet dissolve for 5 minutes with the reservoir laying on its back.
- D Shake the reservoir for 30 seconds to mix and spread the solution.
- E Pinch the bite valve and squeeze the reservoir to remove air and fill the reservoir hose and bite valve with solution.
- F Let the reservoir sit for 15 minutes and then pour out solution.
- G Rinse the reservoir and tube with clean cool water.
- H Hang your reservoir to dry in a well ventilated area.

### DEEP CLEANING YOUR RESERVOIR (WITH OSPREY HYDRAULICS™ CLEANING KIT)

- 1 Rinse out the reservoir and fill it with warm water and a mild dish detergent. Do not use bleach or boiling water.
- 2 With the large cleaning brush from Osprey's Hydraulics™ Cleaning Kit scrub the interior of the reservoir.
- 3 Remove the hose from the reservoir and the bite valve from the hose and use the small brush from Osprey's Hydraulics™ Cleaning Kit to scrub the interior of the hose.
- 4 Remove the silicone bite valve cover and clean it and the bite valve with warm soapy water.
- 5 Rinse the interior and exterior of the reservoir, hose and bite valve parts with cool clean water.
- 6 Let the hose and bite valve dry in a well-ventilated area.
- 7 Insert Osprey's Hydraulics™ Cleaning Kit drying rack into the reservoir and hang to dry in a well ventilated area.

For complete instructions on cleaning your Osprey reservoir watch, "Cleaning an Osprey Hydraulics™ Reservoir" at [youtube.com/ospreypacks](https://youtube.com/ospreypacks).

---

## OSPREY ACCESSORIES

Customize and protect your pack with Osprey's full line of accessories.

For the full lineup, please visit your local Osprey retailer or visit:

**ospreypacks.com.**

## PACK YOUR PACK

Loading your pack correctly optimizes comfort while you are carrying it. For complete information visit:

**ospreypacks.com/PackTech/HowToPackYourPack**

## GUARANTEE

At Osprey, sustainability is designed into our packs, which are built to last a lifetime and backed by a superb guarantee, no matter how hard you are on your gear. Visit **ospreypacks.com** for details.

## QUESTIONS?

Contact Osprey Customer Service. Real help from real people.

Scroll over the customer service tab at **ospreypacks.com.**

**OSPREY PACKS, INC.**

**115 PROGRESS CIRCLE**

**CORTEZ, CO 81321 USA**

**866-284-7830**

---

## ospreypacks.com/PackTech/OwnersManuals

**CN** 如欲觀看繁體中文使用者手冊，請瀏覽 [www.ospreypacks.com](http://www.ospreypacks.com)

请访问[www.ospreypacks.com](http://www.ospreypacks.com)获得该用户手册的中文版本

**JP** 日本語版オーナーズマニュアルはオスプレー社の

Web サイト (<http://www.ospreypacks.com>)

からダウンロードすることができます。

**FR** Veuillez visiter [www.ospreypacks.com](http://www.ospreypacks.com) pour une version en français de ce guide d'utilisation.

**DE** Auf der Homepage [www.ospreypacks.com](http://www.ospreypacks.com) finden Sie die deutsche Version dieses enutzerhandbuchs.

**ES** Visita por favor [www.ospreypacks.com](http://www.ospreypacks.com) para ver la versión de nuestro manual en Español.

**IT** Visita il sito [www.ospreypacks.com](http://www.ospreypacks.com) per la versione in Italiano del manuale d'uso.

**KR** [www.ospreypacks.com/PackTech/OwnersManuals](http://www.ospreypacks.com/PackTech/OwnersManuals)

에서 사용자 설명서를 다운로드하세요

---

## OWNER'S MANUAL



[ospreypacks.com](http://ospreypacks.com)